

Neptune 3 Series

Superior hot water technology and performance

www.nilfisk-alto.us



**Nilfisk
ALTO**

Big Things Can Come in Small Packages

Many years of experience have given us the knowledge necessary to build a superior machine for users who need reliable and effective performance, even in smaller settings.

You don't have to sacrifice versatility OR performance with the Neptune 3 series. It's small, but it can do more than many larger machines.



Optional Hose Reel

For convenient, organized storage of up to 50 feet of high-pressure hose.

Part #301001688

Easy to Transport

Because of its small size, the Neptune 3 series machines are easy to load and carry.

Control Panel

Everything needed to run the machine and check its condition is in one place, making operation simple.

Pictured above: Neptune Classic Black Version

Industrial Performance

The ultimate solution for users needing industrial performance without an industrial-size cost.

Pictured above: Neptune Classic Black Version

EcoPower
High Performance

SilentPower
Quiet Impact

QuickService
Access is the Key

ErgoSystem
Applied Ergonomics



Simplicity Embraces Functionality

Having the controls in one place makes life easy

- Single knob for starts, stops and temperature adjustments
- Detergent dosing control includes self-cleaning feature for reduced maintenance
- LED indicators for:
 - Power
 - Low Pump Oil
 - Service Reminder
 - Low Anti-Scale Level
 - Low fuel




The NP3 pump provides optimal performance and reliability, features a ceramic piston pump and is equipped with the well-known, patented ALTO unloader for greater cleaning efficiency and durability.



Earth Friendly, Wallet Friendly

The new EcoPower Boiler system developed by Nilfisk-ALTO is more than 92% fuel efficient, which means you're saving the environment AND your money.

Because the boiler operates with cleaner combustion, soot build-up is lessened, reducing boiler maintenance and saving fuel costs. That means you have less down time and fewer man hours spent on maintenance.



Serviceability

Easy access to all components requiring attention. Remove a small panel to expose the entire high-pressure pump

Boiler Maintenance

With the optional crane assembly, removal of the boiler unit can be handled quickly and easily with just one person.

Service Crane Part #301001078
Service Crane Base Kit #301001851

2004
CETA
Technology Innovation
Award Winner

The Chassis

Sturdy steel frame and corrosion-proof cabinet.

Control Systems

Critical machine conditions and system performance are monitored with LEDs to let the operator know when attention is needed.

The Heating System

The high-efficiency boiler system saves fuel costs, and the EasyClean boiler reduces soot build-up and lowers maintenance costs.



**KEW**

NEPTUNE 3 SERIES HOT FACTS

| MODEL | NEPTUNE 3-17 Classic | NEPTUNE 3-20 | NEPTUNE 3-30 Classic | NEPTUNE 3-30 | NEPTUNE 3-30X |
|---------------------------------|----------------------|--------------|----------------------|--------------|---------------|
| PART NUMBER | 301002121 | 301001898 | 301002122 | 301001899 | 301002530 |
| Pump Pressure (Max) PSI | 1000 | 1100 | 2000 | 2000 | 2000 |
| Water Flow (Max) GPM | 2.2 | 2.5 | 2.8 | 2.8 | 2.8 |
| Water Temp (Max/Steam) °F | 176 | 176/302 | 176 | 176/302 | 176/302 |
| Power Phase/V/A | 1/115/15 | 1/115/20 | 1/220/20 | 1/220/20 | 1/220/20 |
| Motor (TEFC) HP | 1.5 | 2.0 | 4.0 | 4.0 | 4.0 |
| Sound Level dB(A) | 73 | 73 | 74 | 74 | 74 |
| Fuel Tank Gal | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 |
| Fuel Consumption ΔT115°F Gal/hr | 0.9 | 0.9 | 1.0 | 1.0 | 1.0 |
| Weight lbs | 264 | 265 | 275 | 275 | 275 |
| Dimensions L x W x H in | 42 x 27 x 30 | 42 x 27 x 30 | 42 x 27 x 30 | 42 x 27 x 30 | 42 x 27 x 30 |
| Automatic Start/Stop | Yes | Yes | Yes | Yes | Yes |
| Steam Capability | No | Yes | No | Yes | Yes |
| HP Hose ft | 33 | 33 | 33 | 33 | 33 |
| Chemical Injector | No | Yes | No | Yes | Yes |
| Motor (TEFC) rpm | 1750 | 1750 | 1750 | 1750 | 1750 |
| Ergo 1000 Gun | Yes | Yes | Yes | Yes | Yes |
| Tornado 3000 Lance (Double) | No | Yes | No | Yes | Yes |
| Universal Lance (Single) | Yes | No | Yes | No | No |
| Anti-Leak Function | Yes | Yes | Yes | Yes | Yes |
| Tornado Plus Nozzle | Yes | Yes | Yes | Yes | Yes |
| Ergo 3000 Coupling System | Yes | Yes | Yes | Yes | Yes |
| Full-Ceramic Pistons | Yes | Yes | Yes | Yes | Yes |
| Hose Reel Kit (# 301001688) | Optional | Optional | Optional | Optional | Standard |
| Cabinet Color | Black | Blue | Black | Blue | Blue |

DISTRIBUTED BY:

Nilfisk-ALTO Cleaning Systems, Inc.
2100 Highway 265 South • Springdale, AR 72764
Phone: 877.366.2586 • Fax: 800.405.9092
info@altcsi.com • www.nilfisk-alto.us

Nilfisk
ALTO